

Item Nr.	Description	Material	Qty/pcs
167	0.1 x 100 x 115 mm Blech Ti Gr. 2	Ti Gr. 2	1
79	0.1524 x 270 x 405 mm	Alloy 750	1
79-1	0.1524 x 290 x 400 mm	Alloy 750	1
104-1	0.2 x 45 x 65 mm	Mo 99.95 %	5
104	0.2 x 48 x 65 mm	Mo 99.95 %	1
243	0.2 x 75 x 176 mm	Ti Gr. 2	1
104-2	0.2 x 9...12 x 65 mm	Mo 99.95 %	5
145	0.22 x 80 x 180 mm Fiber Felt	Ti Gr. 1	1
710	0.25 x 200 x 300 mm	Ti Gr. 2	1
146	0.25 x 75 x 185 mm Fiber Felt	Ti Gr. 1	1
599-3	0.3 x 195 x 745 mm ASTM B265	Ti Gr. 2	1
1100	0.3 x 200 x 1000 mm ASTM F136	Gr. 5 ELI	4
2361	0.3 x 200 x 300 mm Fiber Felt	Ti Gr. 1	32
1100-2	0.3 x 200 x 500 mm ASTM F136	Ti Gr. 5 ELI	1
1100-3	0,3 x 200 x 265 mm ASTM F138 with holes	Ti Gr. 5 ELI	1
599-5	0.3 x 240 x 450 mm ASTM B265	Ti Gr. 2	1
854	0.3 x 275 x 600 mm	Ti Gr. 2	1
2460	0.3 x 300 x 1000 mm ASTM B265	Ti Gr. 5	4
599-4	0.3 x 300 x 595 mm ASTM B265	Ti Gr. 2	1
599-1	0.3 x 400 x 745 mm ASTM B265	Ti Gr. 2	1
599-7	0.3 x 49 x ca. 370 mm ASTM B265	Ti Gr. 2	1
1783	0.3 x 50 x 50 mm	Tungsten	1
599-2	0.3 x 500 x 605 mm ASTM B265	Ti Gr. 2	1
599	0.3 x 600 x 745 mm ASTM B265	Ti Gr. 2	1
1994	0.3 x 700 x 1000 mm ASTM B265	Ti Gr. 2	4
245	0.3 x 300 x 1000 mm ASTM B265	Ti Gr. 5	9
245-1	0.3 x 300 x 500 mm ASTM B265	Ti Gr. 5	2
606-1	0.4 x 100 x ca. 350 mm ASTM B265	Ti Gr. 2	1
2496	0.4 x 1000 x 2000 mm AMS 4902	Ti Gr. 2	1
143	0.4 x 130 x 200 mm Fiber Felt	Ti Gr. 1	1
606	0.4 x 300 x 700 mm ASTM B265	Ti Gr. 2	1
1917-1	0.4 x 300 x ca. 380 mm ASTM B265	Ti Gr. 5	1
2286	0.5 x 1000 x 1000 mm Perforated sheet in coil	Ti Gr. 1	2
554-3	0.5 x 200 x 310 mm ASTM B265	Ti Gr. 5	1
1426-5	0.5 x 310 x 1405 mm ASTM B265	Ti Gr. 1	2
1426-6	0.5 x 340 x 675 mm ASTM B265	Ti Gr. 1	2
554-11	0.5 x 50 x 140 mm ASTM B265	Ti Gr. 5	1
554-2	0.5 x 600 x 130 mm ASTM B265	Ti Gr. 5	1
554	0.5 x 600 x 1500 mm ASTM B265	Ti Gr. 5	2
554-1	0,5 x 600 x 1200 mm ASTM B265	Ti Gr. 5	1
1426-1	0.5 x 675 x 1254 mm ASTM B265	Ti Gr. 1	1
1426-4	0.5 x ca. 9.6 x L1000 mm ASTM B265	Ti Gr. 1	28
247	0.5 x 335 x 1000 mm ASTM B265	Ti Gr. 2	30
359	0,5 x 350 x 1000 mm	Ti Gr. 1	1
359-1	0,5 x 50/70 x ca. L100 mm	Ti Gr. 1	2
284	0.53 x 60 x 200 mm	Hastelloy C22	1
153	0.6 x 110 x 155 mm Fiber Felt	Ti Gr. 1	1
153-2	0.6 x 45 x 215 mm Fiber Felt	Ti Gr. 1	1
153-1	0.6 x 70 x 215 mm Fiber Felt	Ti Gr. 1	1
277	0.63...0.67 x 200...210 x 500 mm	Mg AZ31	6
277-1	0.63 x 200 x 200 mm	Mg AZ31	4
361	0,635 x 440 x 1000 mm	Ti Gr. 1	1
277-2	0.65 x 200 x 300 mm	Mg AZ31	1

277-3	0.65 x 7..9 x 300 mm	Mg AZ31	2
90	0.7 x 850 x 1000 mm ASTM B265	Ti Gr. 2	1
2549-3	0.8 x 100 x 500 mm ASTM B265	Ti Gr. 4	1
2549-2	0.8 x 100 x ca. 100 mm ASTM B265	Ti Gr. 4	1
2549	0.8 x 1000 x 1000 mm ASTM B265	Ti Gr. 4	1
2549-1	0.8 x 250 x 295 mm ASTM B265	Ti Gr. 4	1
154	0.8 x 50 x 110 mm Fiber Felt	Ti Gr. 1	3
1454	1 x 1000 x 1000 mm F136	Gr. 5 ELI	2
1454-1	1 x 500 x 1000 mm F136	Gr. 5 ELI	1
1339	1 x 107 x 109 mm	Ti Gr. 4	1
29	1 x 1250 x 2000 mm ASTM B265	Ti Gr. 2	3
308	1 x 500 x 1250 mm ASTM B265	T Gr. 1	1
308-2	1 x 325 x 1440 mm ASTM B265	Ti Gr. 1	1
60	1 x 315 x 145 mm ASTM B265	Ti Gr. 1	1
2280-1	1 x 500 x 570 mm ASTM B265	Ti Gr. 2	1
72	1 x 500 x 850 mm	Ti Gr. 2	1
767	1 x 500 x 930 mm Blech	Ti Gr. 7	1
2468-2	1 x 55 x 1438 mm ASTM B265	Ti Gr. 1	1
60-1	1 x 550 x 1250 mm ASTM B265	Ti Gr. 1	1
2468-1	1 x 60 x 1250 mm ASTM B265	Ti Gr. 1	1
233	1 x ca. 30 x ca. 120 mm	Ti Gr. 1	1
16-1	1.0 x 250 x 1000 mm ASTM B265	Ti Gr. 2	1
771-1	1.25 x 600 x 1700 mm	VT-14	1
771	1.25 x 600 x 2000 mm	VT-14	1
157	1.3 x 50 x 130 mm Fiber Felt	Ti Gr. 1	1
15-4	1.5 x 100 x 500 mm ASTM B265	Ti Gr. 5	1
940-1	1.5 x 1000 x 1000 mm ASTM B265	Ti Gr. 1	1
940	1.5 x 1000 x 2000 mm ASTM B265	Ti Gr. 1	1
15-2	1.5 x 225 x 310 mm ASTM B265	Ti Gr. 5	1
2360	1.5 x 500 x 500 mm ASTM B265	Ti Gr. 4	1
940-2	1.5 x 600 x 400 mm ASTM B265	Ti Gr. 1	1
15-1	1.5 x 685 x 1000 mm ASTM B265	Ti Gr. 5	1
15	1.5 x 900 x 1000 mm ASTM B265	Ti Gr. 5	1
1	1.6 x 500 x 1000 mm ASTM B265	Ti Gr. 5	1
1637	2 x 1000 x 1200 mm	Gr. 2 (VT1-0)	1
1017	2 x 105 x 640 mm ASTM B265	Ti Gr. 5	8
2	2 x 200 x 230 mm	Ti-4Al-3Mo-1V	2
1637-2	2 x 200 x 670 mm	Gr. 2 (VT1-0)	1
1018	2 x 340 x 360 mm ASTM B265	Ti Gr. 5	1
2439	2 x 430 x 1390 mm ASTM B265	Ti Gr. 5	5
2441	2 x 546 x 1370 mm ASTM B265	Ti Gr. 5	4
2439-1	2 x 615 x 1000 mm ASTM B265	Ti Gr. 5	1
221	2 x 133 x 205 mm	Ti Gr. 2	1
257	2 x 205 x 230 mm	Ti 6-6-2	2
258	2 x 205 x 230 mm	Ti Gr. 5	2
772-3	2.5 x 16 x 300 mm	VT14	1
3	2.5 x 500 x 1000 mm ASTM B265	Ti Gr. 5	1
772-1	2.5 x 810 x 1740 mm	VT14	1
772	2.5 x 810 x 1980 mm	VT14	1
165	2,5 x 1000 x 2000 mm	VT20	2
2243-1	3 x 200 x 300 mm Platte ASTM B265	Ti Gr. 5	1
2152	3 x 200 x 500 mm ASTM B265	Ti Gr. 5	1
2243	3 x 200 x 500 mm ASTM B265	Ti Gr. 5	2
2492	5 x 252 x 1000 mm	Ti Gr. 5	4
1024	5 x 500 x 787 mm ASTM B265	Ti Gr. 1	1
331	5 x 400 x 1000 mm ASTM B265, F67, DIN 17850	Ti Gr. 2	1
331-1	5 x 100 x 400 mm ASTM B265, F67, DIN 17850 with cutting dia 90 mm	Ti Gr. 2	1
390	50x 500 x 500 mm	Mg AZ31B	2
1740	6 x 200 x 200 mm ASTM B265	Ti Gr. 2	1
256	6 x 340 x 1500 mm	Invar 36	3
1023	8(7.76) x 270 x 260 mm ASTM B265	Ti Gr. 1	1
1279	10 x 800 x 885 mm	Ti Gr. 2	1

35	20 x 70 x 150 mm	Ti Gr. 2	1
----	------------------	----------	---